

ISLAND VIEW/LUD#9 WATER DISTRICT WATER QUALITY REPORT FOR 2023 (DOH #362609)

Dear Water Customer:

We are pleased to present this year's Annual Water Quality Report (Consumer Confidence Report) as required by the Safe Drinking Water Act (SDWA). We want to keep you informed about the excellent water and services you have been receiving over the past year. Our goal is and always has been, to provide to you a safe and dependable supply of drinking water. *Informed customers are our best allies in maintaining safe drinking water!*

How can I get involved?

We encourage public interest and participation in our community's decisions affecting drinking water. Regular meetings with the District's Board of Commissioners are held every other Monday at our Main Office (104 Hooker Rd. Sequim WA) or virtually via Zoom at 1:30 p.m. The public is welcome. You may also learn more about PUD #1 of Clallam County by accessing our website at www.clallampud.net, or by calling 360-452-9771 or toll free at 1-800-542-7859.

Where does my water come from?

Island View/LUD #9 Water District is supplied water from the Island View Treatment Plant on Olsen Creek (S01). The water treatment plant utilizes an open, multimedia, conventional filtration process and disinfection. First, chemicals are added to the water that causes particles to coagulate. Next, the water passes through a filtration process that removes the particles. These particles can include sediment and natural materials as well as viruses, bacteria and other disease-causing organisms.

During the treatment process, poly aluminum chloride is added to aid in the filtration process. Soda ash is added to adjust the pH level of the water to aid in filtration and to make the water less corrosive on pipe and plumbing fixtures. These additives are carefully monitored, and the water is continually tested to make sure it is safe to drink. Finally, chlorine is added to provide disinfection to the water throughout the distribution system. Finished water is then pumped up to a 50,000-gallon reservoir, where it is available upon demand.

In some years, due to low stream flows, it has become necessary to truck in water from the neighboring Clallam Bay/Seki Water System DOH#13200F. All water trucking operations are performed with the approval and guidance of the Washington State Department of Health Office of Drinking Water. Water trucking was performed in 2023. A copy of the Clallam Bay Seki Water System Annual Water Quality Report included at the end of this report.

Water quality testing and monitoring of this water system is completed daily by certified District personnel. We are pleased to report that the water provided by the district meets or exceeds established water quality standards.

Source Water Protection Tips

Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water source in several ways:

- Eliminate excess use of lawn and garden fertilizers and pesticides - they contain hazardous chemicals that can reach your drinking water source.
- Pick up after your pets.

- Dispose of chemicals properly; take used motor oil to a recycling center.

Monitoring Results

Chlorine Residual: Chlorine is used as a disinfectant in the water treatment process, and should be detectable in at least 95% of the samples taken each month. All samples showed a chlorine residual.

Total Coliform Bacteria: Zero coliform bacteria were detected in the monthly samples collected. Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially harmful, bacteria may be present.

Hardness: Hardness is a natural characteristic of water caused by dissolved calcium and magnesium, which can interfere with the sudsing action of soap. The US Geological Society classifies hardness as 0-60 mg/L is soft, while anything greater than 200 mg/L is very hard. A sample taken in 2020 showed 16 mg/L or .93grains/gallon.

Fluoride: The District does not add fluoride to this water system. Fluoride is a natural substance found in varying degrees in almost all water supplies, but was not detected during the last inorganic test completed.

Water Quality Data Table

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of contaminants in water provided by public water systems. The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and have nutritional value at low levels. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some of our data, though representative, may be more than one year old. In this table you will find terms and abbreviations that might not be familiar to you. To help you better understand these terms, we have provided the definitions below the table.

Contaminants	MCLG or MRDLG	MCL, TT, or MRDL	Detect In Your Water	Range		Sample Date	Violation	Typical Source
				Low	High			
Disinfectants & Disinfection By-Products								
(There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants)								
Haloacetic Acids (HAA5) (ppb)	NA	60	12.3	NA	NA	2023	No	By-product of drinking water chlorination
TTHMs [Total Trihalomethanes] (ppb)	NA	80	31.5	NA	NA	2023	No	By-product of drinking water disinfection
Inorganic Contaminants								
Nitrate [measured as Nitrogen] (ppm)	10	10	.4	NA	NA	2023	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Microbiological Contaminants								
Turbidity (NTU)	NA	0.3	TT/100%*	NA	NA	2023	No	Soil runoff
*100% of the samples were below the TT value of .3. A value less than 95% constitutes a TT violation. The highest single measurement was 0.10. Any measurement in excess of 1 is a violation unless otherwise approved by the state.								

Contaminants	MCLG	AL	90 TH Percentile (5 Samples)	Sample Date	# Samples Exceeding AL	Exceeds AL	Typical Source
Inorganic Contaminants							
Lead - action level at consumer taps (ppb)	0	15	4.1	2022	0	No	Corrosion of household plumbing systems; Erosion of natural deposits
Copper - action level at consumer taps (ppm)	1.3	1.3	.0582	2022	0	No	Corrosion of household plumbing systems; Erosion of natural deposits

Secondary Regulated Water Quality Data Table

(These standards are developed to protect the aesthetic qualities of drinking water and are not health based.)

Contaminants	SMCL	Your Water	Sample Date	Violation	Typical Sources
Chloride	250 mg/L	8.1 mg/L	2020	No	Erosion of natural deposits
Electrical Conductivity	700 uS/cm	86 uS/cm	2020	No	Measure ability of material or dissolved solids to convey an electric current
Hardness (as Calcium Carbonate)	NA	16 mg/L	2020	No	Weathering of various rocks and soil
Manganese	.05 mg/L	.0017 mg/L	2020	No	Erosion of natural deposits
Sodium	NA	11.7 mg/L	2020	No	Erosion of natural deposits; seawater
Sulfate	250 mg/L	10.3 mg/L	2020	No	Erosion of natural deposits
Total Dissolved Solids	500 mg/L	55 mg/L	2020	No	Erosion of natural deposits

Unit Descriptions

Term	Definition
ppm	ppm: parts per million, or milligrams per liter (mg/L)
ppb	ppb: parts per billion, or micrograms per liter (µg/L)
NTU	NTU: Nephelometric Turbidity Units. Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of the effectiveness of our filtration system.
NA	NA: not applicable
ND	ND: Not detected
NR	NR: Monitoring not required, but recommended.

Important Drinking Water Definitions

Term	Definition
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
SMCL	Secondary Maximum Contaminant Level: Standards developed to protect the aesthetic qualities of drinking water and are not health based.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (1-800-426-4791). Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Partners in Conservation

Water is essential to every dimension of life, yet less than 1 percent of the Earth’s water supply is fit and available for human consumption. As demand for water continues to increase, every drop of water is becoming more important than ever before.

The DOH has adopted a rule that establishes water use efficiency (WUE) requirements for all municipal water suppliers. Water use efficiency will help us conserve water for the environment and future generations. It will also enhance public health by improving water system efficiency and reliability.

A few primary elements of this rule include improving operational efficiency; evaluating and reporting water production and usage; and reducing water leaks both on the distribution side and the customer side of the water system. The table below lists production amounts vs. purchased/authorized usage and the percentage of the unaccounted-for or probable system leakage. The goal is to reduce unaccounted-for water to 15% or less of the total water produced.

Distribution System Leakage Summary (in millions of gallons: 1 cubic foot = 7.48 gallons)	
Total Water Produced – Annual Volume	1.41
Total Water Purchased and Authorized Usage – Annual Volume	1.15
Distribution Unaccounted-for or System Leakage – Percent	18.35

Together we can keep the percentage to 15% or less, and save water and money in the process! Here are some tips to work towards this goal *and* to be more water efficient:

- If you see an odd wet spot in a normally dry area, call the PUD.
- Someone other than the Fire Dept. or PUD using a fire hydrant, call the PUD.
- Run your washing machine and dishwasher only when they are full.
- Turn off the tap when brushing your teeth, washing, shaving, or cleaning fruits and vegetables.
- Check every faucet inside and outside your home for leaks; a slow drip can waste 15 to 20 gallons a day. Fix it and you could save up to 6,000 gallons a year.
- Use a water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons a month.
- Check your toilets for leaks by putting a few drops of food coloring in the tank. Watch for a few minutes to see if the color shows up in the bowl. Fixing it or replacing it with a new, more efficient model can save up to 1,000 gallons a month.
- Use your water meter to detect hidden leaks. Simply turn off all taps and water using appliances. Write down the numbers across the face of the meter. Then check the water meter after 30 minutes. If the numbers increased at all, you have a leak.
- Ask your local nursery about landscaping with native plants.
- For deep root and drought tolerance, water your plants deeply, but less often.
- Water wasted is water lost. For more information, go to these web-sites:
www.wateruseitwisely.com www.h2ouse.org www.epa.gov/watersense

Variance and Exemptions

The Island View Water System has received waivers for reduced monitoring of the following contaminants:

- Complete Inorganics (IOC)
- Volatile Organics (VOC)
- Herbicides
- Pesticides
- Soil Fumigants

Previous background test results from DOH indicated that these substances were either not detected or below MCL in this water source. The EPA and/or DOH grant a variance or exemption only upon finding that the variance or exemption will not result in an unreasonable risk to health.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The district is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

Additional Information for Disinfection Byproducts

Haloacetic Acids (HAA)- Some people who drink water containing Haloacetic Acids in excess of the MCL over many years may have an increased risk of getting cancer.

TTHMs [Total Trihalomethanes]- Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

Additional Information for Nitrate


Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant, you should ask for advice from your health care provider.

Source water assessment and its availability

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and in some cases radioactive material and can pick up substances resulting from the presence of animals or from human activity. The DOH has completed a source water assessment for this system. All surface waters and/or groundwater under the influence of surface water in Washington are given a susceptibility rating of high, regardless of whether contaminants have been detected or whether there are any sources of contaminants in the watershed or runoff areas to the river or creek. More information can be found on the DOH website: <https://fortress.wa.gov/doh/eh/dw/swap/maps/>.

For more information please contact:

Public Utility District No. 1 of Clallam County PO BOX 1000 Carlsborg, WA 98324
360.452.9771



CLALLAM BAY/SEKIU WATER DISTRICT WATER QUALITY REPORT FOR 2023 (DOH #13200F)

Dear Water Customer:

We are pleased to present this year's Annual Water Quality Report (Consumer Confidence Report) as required by the Safe Drinking Water Act (SDWA). We want to keep you informed about the excellent water and services you have been receiving over the past year. Our goal is and always has been, to provide to you a safe and dependable supply of drinking water. *Informed customers are our best allies in maintaining safe drinking water!*

How can I get involved?

We encourage public interest and participation in our community's decisions affecting drinking water. Regular meetings with the District's Board of Commissioners are held every other Monday at our Main Office (104 Hooker Rd. Sequim WA) at 1:30 p.m. The public is welcome. You may also learn more about PUD #1 of Clallam County by accessing our website at www.clallampud.net, or by calling 360-452-9771 or toll free at 1-800-542-7859.

Where does my water come from?

The Clallam Bay/Seki Water District is supplied groundwater pumped from a four-well well field near the Hoko River. Sodium hydroxide is injected to help achieve and maintain proper pH levels. The water is chlorinated and then pumped to three different reservoirs: 100,000-gallon Sekiu Reservoir, 100,000-gallon Clallam Bay Reservoir, and 20,000-gallon Chanterelle Reservoir. From each of these three points, water flows back to the Clallam Bay/Seki area upon demand.

Water quality testing and monitoring of this water system is completed daily by certified District personnel.

Source Water Protection Tips

Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water source in several ways:

- Eliminate excess use of lawn and garden fertilizers and pesticides - they contain hazardous chemicals that can reach your drinking water source.
- Pick up after your pets.
- If you have your own septic system, properly maintain your system to reduce leaching to water sources.
- Dispose of chemicals properly; take used motor oil to a recycling center.

Monitoring Results

Chlorine Residual: Chlorine is used as a disinfectant in the water treatment process, and should be detectable in at least 95% of the samples taken each month. All of the samples showed a chlorine residual.

Total Coliform Bacteria: Zero Coliform Bacteria were detected in the monthly samples collected. Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other potentially harmful, bacteria may be present.

Hardness: Hardness is a natural characteristic of water caused by dissolved calcium and magnesium, which can interfere with the sudsing action of soap. The US Geological Society classifies hardness as 0-60 mg/L is soft, while anything greater than 200 mg/L is very hard. A sample taken in 2022 showed 12.8 mg/L or 0.75 grains/gallon.

Fluoride: The District does not add fluoride to this water system. Fluoride is a natural substance found in varying degrees in almost all water supplies.

Water Quality Data Table

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of contaminants in water provided by public water systems. The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and have nutritional value at low levels. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some of our data, though representative, may be more than one year old. In this table you will find terms and abbreviations that might not be familiar to you. To help you better understand these terms, we have provided the definitions below the table.

Contaminants	MCLG or MRDLG	MCL, TT, or MRDL	Detect In Your Water	Range		Sample Date	Violation	Typical Source
				Low	High			
Disinfectants & Disinfection By-Products								
(There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants)								
Haloacetic Acids (HAA5) (ppb)	NA	60	1.3	NA	NA	2023	No	By-product of drinking water chlorination
TTHMs [Total Trihalomethanes] (ppb)	NA	80	9.2	NA	NA	2023	No	By-product of drinking water disinfection
Inorganic Contaminants								
Nitrate [measured as Nitrogen] (ppm)	10	10	.65	NA	NA	2023	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Contaminants	MCLG	AL	90 TH Percentile (10 Samples)	Sample Date	# Samples Exceeding AL	Exceeds AL	Typical Source	
Inorganic Contaminants								
Copper - action level at consumer taps (ppm)	1.3	1.3	.858	2023	0	No	Corrosion of household plumbing systems; Erosion of natural deposits	
Lead - action level at consumer taps (ppb)	0	15	1.8	2023	0	No	Corrosion of household plumbing systems; Erosion of natural deposits	

Secondary Water Quality Data Table					
(These standards are developed to protect the aesthetic qualities of drinking water and are not health based.)					
Contaminants	SMCL	Your Water	Violation	Sample Date	Explanation and Comment
CHLORIDE	250 ppm	4 ppm	No	2022	Erosion of natural deposits
ELECTRICAL CONDUCTIVITY	700 uS/cm	120 uS/cm	No	2022	Measure ability of material or dissolved solids to convey an electric current

Secondary Water Quality Data Table					
(These standards are developed to protect the aesthetic qualities of drinking water and are not health based.)					
Contaminants	SMCL	Your Water	Violation	Sample Date	Explanation and Comment
HARDNESS AS CALCIUM CARBONATE		12.8 ppm	No	2022	Weathering of various rocks and soil
SODIUM		18.1 ppm	No	2022	Erosion of natural deposits; seawater
SULFATE	250 ppm	4.3 ppm	No	2022	Erosion of natural deposits
TOTAL DISSOLVED SOLIDS (TDS)	500 ppm	73 ppm	No	2022	Erosion of natural deposits
TURBIDITY	1 NTU	.21 NTU	No	2022	Soil runoff

Unit Descriptions	
Term	Definition
ppm	ppm: parts per million, or milligrams per liter (mg/L)
MFL	MFL: million fibers per liter, used to measure asbestos concentration
uS/cm	uS/cm: Microsiemens per centimeter
ppb	ppb: parts per billion, or micrograms per liter (µg/L)
NA	NA: not applicable
ND	ND: Not detected
NTU	Nephelometric Turbidity Units
NR	NR: Monitoring not required, but recommended.

Important Drinking Water Definitions	
Term	Definition
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
SMCL	Secondary Maximum Contaminant Level: Standards developed to protect the aesthetic qualities of drinking water and are not health based.
TT	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.
AL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.
MRDLG	MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MNR	MNR: Monitored Not Regulated
MPL	MPL: State Assigned Maximum Permissible Level

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More

information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Partners in Conservation

Water is essential to every dimension of life, yet less than 1 percent of the Earth's water supply is fit and available for human consumption. As demand for water continues to increase, every drop of water is becoming more important than ever before.

The DOH has adopted a rule that establishes water use efficiency (WUE) requirements for all municipal water suppliers. Water use efficiency will help us conserve water for the environment and future generations. It will also enhance public health by improving water system efficiency and reliability.

A few primary elements of this rule include improving operational efficiency; evaluating and reporting water production and usage; and reducing water leaks both on the distribution side and the customer side of the water system. The table below lists production amounts vs. purchased/authorized usage and the percentage of the unaccounted-for or probable system leakage. The goal is to reduce unaccounted-for water to 10% or less of the total water produced.

Distribution System Leakage Summary (in millions of gallons: 1 cubic foot = 7.48 gallons)	
Total Water Produced – Annual Volume	50.36
Total Water Purchased and Authorized Usage – Annual Volume	42.26
Distribution Unaccounted-for or System Leakage – Percent	16

Together we can keep the percentage to 10% or less, and save water and money in the process! Here are some tips to work towards this goal *and* to be more water efficient:

- If you see an odd wet spot in a normally dry area, call the PUD.
- Someone other than the Fire Dept. or PUD using a fire hydrant, call the PUD.
- Turn off the tap when brushing your teeth, washing, shaving, or cleaning fruits and vegetables.
- Check every faucet inside and outside your home for leaks; a slow drip can waste 15 to 20 gallons a day. Fix it and you could save up to 6,000 gallons a year.
- Take short showers - a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath.
- Use a water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons a month.
- Check your toilets for leaks by putting a few drops of food coloring in the tank. Watch for a few minutes to see if the color shows up in the bowl. Fixing it or replacing it with a new, more efficient model can save up to 1,000 gallons a month.
- Use your water meter to detect hidden leaks. Simply turn off all taps and water using appliances. Write down the numbers across the face of the meter. Then check the water meter after 30 minutes. If the numbers increased at all, you have a leak.
- Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!

- Ask your local nursery about landscaping with native plants.
- For deep root and drought tolerance, water your plants deeply, but less often.
- Water wasted is water lost. For more information, go to these web-sites:
- www.wateruseitwisely.com www.h2ouse.org www.epa.gov/watersense

Variance and Exemptions

The Clallam Bay/Seki Water System has received waivers for reduced monitoring of the following contaminants:

Complete Inorganics (IOC)

Volatile Organics (VOC)

Herbicides

Pesticides

Soil Fumigants

Lead and Copper 90th Percentile:

Out of every 10 homes sampled, 9 were at or below this level. Because past results indicated a higher than desired level of copper, PUD #1 of Clallam County has taken actions to raise the PH of our water, thus lowering the corrosiveness of the water. Follow up testing was performed and it has been verified that the increase in PH has resulted in the lowering of corrosiveness of the water.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

Additional Information for Nitrate

Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant, you should ask for advice from your health care provider.

Source water assessment and its availability

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and in some cases radioactive material and can pick up substances resulting from the presence of animals or from human activity.

The DOH has completed a source water assessment for this system based on the amount or depth of the confining layer above the well(s), and rated this water source as moderate for the susceptibility to potential sources of contamination. More information can be found on the DOH website:

[https://fortress.wa.gov/doh/eh/dw/swap/maps/..](https://fortress.wa.gov/doh/eh/dw/swap/maps/)

For more information please contact:

Public Utility District No. 1 of Clallam County

PO BOX 1000

Carlsborg, WA 98324

360.452.9771